
malduck

Release 4.0.1

CERT Polska

Jul 17, 2020

EXTRACTION TOOLS:

1	Static configuration extractor engine	3
1.1	Module interface	3
1.2	Internally used classes and routines	9
2	Memory model objects (procmem)	11
2.1	ProcessMemory (procmem)	11
2.2	ProcessMemoryPE (procmempe)	20
2.3	ProcessMemoryELF (procmemelf)	20
2.4	CuckooProcessMemory (cuckoomem)	21
2.5	IDAProcessMemory (idamem)	21
3	x86 disassembler	23
4	PE wrapper	25
5	Yara wrapper	27
6	Cryptography	29
6.1	AES	29
6.1.1	AES-CBC mode	29
6.1.2	AES-ECB mode	30
6.1.3	AES-CTR mode	30
6.2	Blowfish (ECB only)	31
6.3	DES/DES3 (CBC only)	31
6.4	Serpent (CBC only)	32
6.5	Rabbit	33
6.6	RC4	33
6.7	XOR	33
6.8	RSA (BLOB parser)	34
6.9	BLOB struct	34
7	Compression algorithms	37
7.1	aPLib	37
7.2	gzip	37
7.3	lznt1 (RtlDecompressBuffer)	38
8	Hashing algorithms	39
8.1	CRC32	39
8.2	MD5	39
8.3	SHA1	39
8.4	SHA224/256/384/512	39

9	Common bitwise operations	41
9.1	Rotate left/right	41
9.2	Align up/down	41
10	Fixed-integer types	43
10.1	Object properties	43
10.2	UInt64/UInt32/UInt16/UInt8 (QWORD/DWORD/WORD/BYTE)	45
10.3	Int64/Int32/Int16/Int8	45
11	Common string operations (padding, chunks, base64)	47
11.1	chunks/chunks_iter	47
11.2	asciiz/utf16z	47
11.3	enhex/unhex	47
11.4	Padding (null/pkcs7)	48
11.5	Packing/unpacking (p64/p32/p16/p8, u64/u32/u16/u8, bigint)	48
11.6	IPv4 inet_ntoa	51
12	Indices and tables	53
	Python Module Index	55
	Index	57

Malduck is your ducky companion in malware analysis journeys. It is mostly based on [Roach](#) project, which derives many concepts from [mlib](#) library created by [Maciej Kotowicz](#). The purpose of fork was to make Roach independent from [Cuckoo Sandbox](#) project, but still supporting its internal *procmem* format.

Main goal is to make library for malware researchers, which will be something like [pwntools](#) for CTF players.

Malduck provides many improvements resulting from CERT.pl codebase, making malware analysis scripts much shorter and more powerful.

STATIC CONFIGURATION EXTRACTOR ENGINE

1.1 Module interface

class malduck.extractor.**Extractor** (*parent*)

Base class for extractor modules

Following parameters need to be defined:

- *family* (see extractor.Extractor.family)
- *yara_rules*
- *overrides* (optional, see extractor.Extractor.overrides)

Example extractor code for Citadel:

```
from malduck import Extractor

class Citadel(Extractor):
    family = "citadel"
    yara_rules = ("citadel",)
    overrides = ("zeus",)

    @Extractor.string("briankerbs")
    def citadel_found(self, p, addr, match):
        log.info('[+] `Coded by Brian Krebs` str @ %X' % addr)
        return True

    @Extractor.string
    def cit_login(self, p, addr, match):
        log.info('[+] Found login_key xor @ %X' % addr)
        hit = p.uint32v(addr + 4)
        print(hex(hit))
        if p.is_addr(hit):
            return {'login_key': p.asciiz(hit)}

        hit = p.uint32v(addr + 5)
        print(hex(hit))
        if p.is_addr(hit):
            return {'login_key': p.asciiz(hit)}
```

Decorated methods are always called in order:

- *@Extractor.extractor* methods
- *@Extractor.string* methods

- `@Extractor.rule` methods
- `@Extractor.final` methods

`@string`

Decorator for string-based extractor methods. Method is called each time when string with the same identifier as method name has matched

Extractor can be called for many number-suffixed strings e.g. `$keyex1` and `$keyex2` will call `keyex` method.

You can optionally provide the actual string identifier as an argument if you don't want to name your method after the string identifier.

Signature of decorated method:

```
@Extractor.string
def string_identifier(self, p: ProcessMemory, addr: int, match:
↳YaraStringMatch) -> Config:
    # p: ProcessMemory object that contains matched file/dump representation
    # addr: Virtual address of matched string
    # Called for each "$string_identifier" hit
    ...
```

If you want to use same method for multiple different named strings, you can provide multiple identifiers as `@Extractor.string` decorator argument

Extractor methods should return *dict* object with extracted part of configuration, *True* indicating a match or *False/None* when family has not been matched.

For strong methods: truthy values are transformed to *dict* with `{"family": self.family}` key.

New in version 4.0.0: Added `@Extractor.string` as extended version of `@Extractor.extractor`

Parameters `strings_or_method` (*str, optional) – If method name doesn't match the string identifier, pass yara string identifier as decorator argument. Multiple strings are accepted

`@extractor`

Simplified variant of `@Extractor.string`.

Doesn't accept multiple strings and passes only string offset to the extractor method.

```
from malduck import Extractor

class Citadel(Extractor):
    family = "citadel"
    yara_rules = ("citadel",)
    overrides = ("zeus",)

    @Extractor.extractor("briankerbs")
    def citadel_found(self, p, addr):
        # Called for each $briankerbs hit
        ...

    @Extractor.extractor
    def cit_login(self, p, addr):
        # Called for each $cit_login1, $cit_login2 hit
        ...
```

`@rule`

Decorator for rule-based extractor methods, called once for rule match after string-based extraction methods.

Method is called each time when rule with the same identifier as method name has matched.

You can optionally provide the actual rule identifier as an argument if you don't want to name your method after the rule identifier.

Rule identifier must appear in *yara_rules* tuple.

Signature of decorated method:

```
@Extractor.rule
def rule_identifier(self, p: ProcessMemory, matches: YaraMatch) -> Config:
    # p: ProcessMemory object that contains matched file/dump representation
    # matches: YaraMatch object with offsets of all matched strings related
    # with the rule
    # Called for matched rule named "rule_identifier".
    ...
```

New in version 4.0.0: Added *@Extractor.rule* decorator

```
from malduck import Extractor

class Evil(Extractor):
    yara_rules = ("evil", "weird")
    family = "evil"
    ...

    @Extractor.rule
    def evil(self, p, matches):
        # This will be called each time evil match.
        # `matches` is YaraMatch object that contains information about
        # all string matches related with this rule.
        ...
```

Parameters *string_or_method* (*str*, *optional*) – If method name doesn't match the rule identifier pass yara string identifier as decorator argument

@final

Decorator for final extractor methods, called once for each single rule match after other extraction methods.

Behaves similarly to the *@rule*-decorated methods but is called for each rule match regardless of the rule identifier.

Signature of decorated method:

```
@Extractor.rule
def rule_identifier(self, p: ProcessMemory) -> Config:
    # p: ProcessMemory object that contains matched file/dump representation
    # Called for each matched rule in self.yara_rules
    ...
```

```
from malduck import Extractor

class Evil(Extractor):
    yara_rules = ("evil", "weird")
    family = "evil"
    ...
```

(continues on next page)

(continued from previous page)

```
@Extractor.needs_pe
@Extractor.final
def get_config(self, p):
    # This will be called each time evil or weird match
    cfg = {"urls": self.get_cncls_from_rsrc(p)}
    if "role" not in self.collected_config:
        cfg["role"] = "loader"
    return cfg
```

@weak

Use this decorator for extractors when successful extraction is not sufficient to mark family as matched.

All “weak configs” will be flushed when “strong config” appears.

Changed in version 4.0.0: Method must be decorated first with @extractor, @rule or @final decorator

```
from malduck import Extractor

class Evil(Extractor):
    yara_rules = ("evil", "weird")
    family = "evil"

    ...

    @Extractor.weak
    @Extractor.extractor
    def dga_seed(self, p, hit):
        # Even if we're able to get the DGA seed, extractor won't produce_
↪config
        # until is_it_really_evil match as well
        dga_config = p.readv(hit, 128)
        seed = self._get_dga_seed(dga_config)
        if seed is not None:
            return {"dga_seed": seed}

    @Extractor.final
    def is_it_really_evil(self, p):
        # If p starts with 'evil', we can produce config
        return p.read(p.imgbase, 4) == b'evil'
```

@needs_pe

Use this decorator for extractors that need PE instance. (p is guaranteed to be malduck.procmem.ProcessMemoryPE)

Changed in version 4.0.0: Method must be decorated first with @extractor, @rule or @final decorator

@needs_elf

Use this decorator for extractors that need ELF instance. (p is guaranteed to be malduck.procmem.ProcessMemoryELF)

Changed in version 4.0.0: Method must be decorated first with @extractor, @rule or @final decorator.

property collected_config

Shows collected config so far (useful in “final” extractors)

Return type dict

family = None

Extracted malware family, automatically added to “family” key for strong extraction methods

property globals

Container for global variables associated with analysis

Return type dict

handle_match (*p, match*)

Override this if you don't want to use decorators and customize ripping process (e.g. yara-independent, brute-force techniques)

Called for each rule hit listed in `Extractor.yara_rules`.

Overriding this method means that all Yara hits must be processed within this method. Ripped configurations must be reported using `push_config()` method.

Parameters

- **p** (`malduck.procmem.ProcessMemory`) – ProcessMemory object
- **match** (`malduck.yara.YaraRuleMatch`) – Found yara matches for currently matched rule

property log

Logger instance for Extractor methods

Returns `logging.Logger`

property matched

Returns True if family has been matched so far

Return type bool

on_error (*exc, method_name*)

Handler for all Exception's thrown by extractor methods.

Parameters

- **exc** (`Exception`) – Exception object
- **method_name** (*str*) – Name of method which throwed exception

overrides = []

Family match overrides another match e.g. citadel overrides zeus

push_config (*config*)

Push partial config (used by `Extractor.handle_match()`)

Parameters **config** (*dict*) – Partial config element

push_procmem (*procmem: malduck.procmem.procmem.ProcessMemory, **info*)

Push extracted procmem object for further analysis

Parameters

- **procmem** (`malduck.procmem.ProcessMemory`) – ProcessMemory object
- **info** – Additional info about object

yara_rules = ()

Names of Yara rules for which `handle_match` is called

class `malduck.extractor.ExtractManager` (*modules: malduck.extractor.extract_manager.ExtractorModules*)

Multi-dump extraction context. Handles merging configs from different dumps, additional dropped families etc.

Parameters **modules** (`ExtractorModules`) – Object with loaded extractor modules

property config

Extracted configuration (list of configs for each extracted family)

property extractors

Bound extractor modules :rtype: List[Type[*malduck.extractor.Extractor*]]

on_error (*exc: Exception, extractor: malduck.extractor.extractor.Extractor*) → None

Handler for all Exception's thrown by *Extractor.handle_yara()*.

Deprecated since version 2.1.0: Look at *ExtractManager.on_extractor_error()* instead.

Parameters

- **exc** (Exception) – Exception object
- **extractor** (*malduck.extractor.Extractor*) – Extractor object which threw exception

on_extractor_error (*exc: Exception, extractor: malduck.extractor.extractor.Extractor, method_name: str*) → None

Handler for all Exception's thrown by extractor methods (including *Extractor.handle_yara()*).

Override this method if you want to set your own error handler.

Parameters

- **exc** (Exception) – Exception object
- **extractor** (*extractor.Extractor*) – Extractor instance
- **method_name** (*str*) – Name of method which threw exception

push_file (*filepath: str, base: int = 0*) → Optional[str]

Pushes file for extraction. Config extractor entryptoint.

Parameters

- **filepath** (*str*) – Path to extracted file
- **base** (*int*) – Memory dump base address

Returns Family name if ripped successfully and provided better configuration than previous files. Returns None otherwise.

push_procmem (*p: malduck.procmem.procmem.ProcessMemory, rip_binaries: bool = False*) → Optional[str]

Pushes ProcessMemory object for extraction

Parameters

- **p** (*malduck.procmem.ProcessMemory*) – ProcessMemory object
- **rip_binaries** – Look for binaries (PE, ELF) in provided ProcessMemory and try to perform extraction using

specialized variants (*ProcessMemoryPE*, *ProcessMemoryELF*) :type *rip_binaries*: bool (default: False)
:return: Family name if ripped successfully and provided better configuration than previous procmems.

Returns None otherwise.

property rules

Bound Yara rules :rtype: *malduck.yara.Yara*

class *malduck.extractor.ExtractorModules* (*modules_path: Optional[str] = None*)

Configuration object with loaded Extractor modules for *ExtractManager*

Parameters **modules_path** (*str*) – Path with module files (Extractor classes and Yara files, default '~/.malduck')

on_error (*exc: Exception, module_name: str*) → None
 Handler for all Exception's thrown during module load
 Override this method if you want to set your own error handler.

Parameters

- **exc** (*Exception*) – Exception object
- **module_name** (*str*) – Name of module which threw exception

1.2 Internally used classes and routines

class `malduck.extractor.extract_manager.ProcmemExtractManager` (*parent: malduck.extractor.extract_manager.ExtractManager*)

Single-dump extraction context (single family)

collected_config = None
 Collected configuration so far (especially useful for “final” extractors)

property config
 Returns collected config, but if family is not matched - returns empty dict. Family is not included in config itself, look at `ProcmemExtractManager.family`.

family = None
 Matched family

on_extractor_error (*exc: Exception, extractor: malduck.extractor.extractor.Extractor, method_name: str*) → None
 Handler for all Exception's thrown by extractor methods.

Parameters

- **exc** (*Exception*) – Exception object
- **extractor** (*extractor.Extractor*) – Extractor instance
- **method_name** (*str*) – Name of method which threw exception

parent = None
 Bound ExtractManager instance

push_config (*config: Dict[str, Any], extractor: malduck.extractor.extractor.Extractor*) → None
 Pushes new partial config

If strong config provides different family than stored so far and that family overrides stored family - set stored family Example: citadel overrides zeus

Parameters

- **config** (*dict*) – Partial config object
- **extractor** (*malduck.extractor.Extractor*) – Extractor object reference

push_procmem (*p: malduck.procmem.procmem.ProcessMemory, _matches: Optional[malduck.yara.YaraRulesetMatch] = None*) → None
 Pushes ProcessMemory object for extraction

Parameters

- **p** (*malduck.procmem.ProcessMemory*) – ProcessMemory object
- **_matches** (*malduck.yara.YaraRulesetMatch*) – YaraRulesetMatch object (used internally)

MEMORY MODEL OBJECTS (PROC MEM)

2.1 ProcessMemory (procmem)

`malduck.procmem`

alias of `malduck.procmem.procmem.ProcessMemory`

class `malduck.procmem.procmem.ProcessMemory` (*buf*, *base=0*, *regions=None*, ***_*)

Basic virtual memory representation

Short name: *procmem*

Parameters

- **buf** (*bytes*, *mmap*, *memoryview* or *bytearray* object) – Object with memory contents
- **base** (*int*, optional (default: 0)) – Virtual address of the region of interest (or beginning of *buf* when no regions provided)
- **regions** (List[*Region*]) – Regions mapping. If set to *None* (default), *buf* is mapped into single-region with VA specified in *base* argument

Let's assume that *notepad.exe_400000.bin* contains raw memory dump starting at 0x400000 base address. We can easily load that file to *ProcessMemory* object, using *from_file()* method:

```
from malduck import procmem

with procmem.from_file("notepad.exe_400000.bin", base=0x400000) as p:
    mem = p.readv(...)
    ...
```

If your data are loaded yet into buffer, you can directly use *procmem* constructor:

```
from malduck import procmem

with open("notepad.exe_400000.bin", "rb") as f:
    payload = f.read()

p = procmem(payload, base=0x400000)
```

Then you can work with PE image contained in dump by creating *ProcessMemoryPE* object, using its *from_memory()* constructor method

```
from malduck import procmem

with open("notepad.exe_400000.bin", "rb") as f:
```

(continues on next page)

(continued from previous page)

```
payload = f.read()

p = procmem(payload, base=0x400000)
ppe = procmempe.from_memory(p)
ppe.pe.resource("NPENCODINGDIALOG")
```

If you want to load PE file directly and work with it in a similar way as with memory-mapped files, just use *image* parameter. It also works with `ProcessMemoryPE.from_memory()` for embedded binaries. Your file will be loaded and relocated in similar way as it's done by Windows loader.

```
from malduck import procmempe

with procmempe.from_file("notepad.exe", image=True) as p:
    p.pe.resource("NPENCODINGDIALOG")
```

addr_region (*addr*)

Returns *Region* object mapping specified virtual address

Parameters *addr* – Virtual address

Return type *Region*

asciiiz (*addr*)

Read a null-terminated ASCII string at address.

close (*copy=False*)

Closes opened files referenced by ProcessMemory object

If copy is False (default): invalidates the object.

Parameters *copy* (*bool*) – Copy data into string before closing the mmap object (default: False)

disasmv (*addr*, *size=None*, *x64=False*, *count=None*)

Disassembles code under specified address

Changed in version 4.0.0: Returns iterator instead of list of instructions

Parameters

- **addr** (*int*) – Virtual address
- **size** (*int* *optional*) – Size of disassembled buffer
- **count** (*int* *optional*) – Number of instructions to disassemble
- **x64** (*bool* *optional*) – Assembly is 64bit

Returns `List[Instruction]`

extract (*modules=None*, *extract_manager=None*)

Tries to extract config from ProcessMemory object

Parameters

- **modules** (*malduck.extractor.ExtractorModules*) – Extractor modules object (optional, loads '~/.malduck' by default)
- **extract_manager** (*malduck.extractor.ExtractManager*) – ExtractManager object (optional, creates ExtractManager by default)

Returns Static configuration(s) (*malduck.extractor.ExtractManager.config*) or None if not extracted

Return type List[dict] or None

findbytesp (*query*, *offset=None*, *length=None*)

Search for byte sequences (e.g., `4? AA BB ?? DD`). Uses `yarap()` internally

If offset is None, looks for match from the beginning of memory

New in version 1.4.0: Query is passed to yarap as single hexadecimal string rule. Use Yara-compatible strings only

Parameters

- **query** (*str* or *bytes*) – Sequence of wildcarded hexadecimal bytes, separated by spaces
- **offset** (*int* (optional)) – Buffer offset where searching will be started
- **length** (*int* (optional)) – Length of searched area

Returns Iterator returning next offsets

Return type Iterator[int]

findbytesv (*query*, *addr=None*, *length=None*)

Search for byte sequences (e.g., `4? AA BB ?? DD`). Uses `yarav()` internally

If addr is None, looks for match from the beginning of memory

New in version 1.4.0: Query is passed to yarav as single hexadecimal string rule. Use Yara-compatible strings only

Parameters

- **query** (*str* or *bytes*) – Sequence of wildcarded hexadecimal bytes, separated by spaces
- **addr** (*int* (optional)) – Virtual address where searching will be started
- **length** (*int* (optional)) – Length of searched area

Returns Iterator returning found virtual addresses

Return type Iterator[int]

Usage example:

```
from malduck import hex

findings = []

for va in mem.findbytesv("4? AA BB ?? DD"):
    if hex(mem.readv(va, 5)) == "4aaabccdd":
        findings.append(va)
```

findmz (*addr*)

Tries to locate MZ header based on address inside PE image

Parameters **addr** (*int*) – Virtual address inside image

Returns Virtual address of found MZ header or None

findp (*query*, *offset=None*, *length=None*)

Find raw bytes in memory (non-region-wise).

If offset is None, looks for substring from the beginning of memory

Parameters

- **query** (*bytes*) – Substring to find
- **offset** (*int (optional)*) – Offset in buffer where searching starts
- **length** (*int (optional)*) – Length of searched area

Returns Generates offsets where bytes were found

Return type Iterator[int]

findv (*query, addr=None, length=None*)

Find raw bytes in memory (region-wise)

If *addr* is None, looks for substring from the beginning of memory

Parameters

- **query** (*bytes*) – Substring to find
- **addr** (*int (optional)*) – Virtual address of region where searching starts
- **length** (*int (optional)*) – Length of searched area

Returns Generates offsets where regex was matched

Return type Iterator[int]

classmethod from_file (*filename, **kwargs*)

Opens file and loads its contents into ProcessMemory object

Parameters **filename** – File name to load

Return type *ProcessMemory*

It's highly recommended to use context manager when operating on files:

```
from malduck import procmem

with procmem.from_file("binary.dmp") as p:
    mem = p.readv(...)
    ...
```

classmethod from_memory (*memory, base=None, **kwargs*)

Makes new instance based on another ProcessMemory object.

Useful for specialized derived classes like CuckooProcessMemory

Parameters

- **memory** (*ProcessMemory*) – ProcessMemory object to be copied
- **base** (*int (optional, default is provided by specialized class)*) – Virtual address of region of interest (imgbase)

Return type *ProcessMemory*

int16p (*offset, fixed=False*)

Read signed 16-bit value at offset.

int16v (*addr, fixed=False*)

Read signed 16-bit value at address.

int32p (*offset, fixed=False*)

Read signed 32-bit value at offset.

int32v (*addr, fixed=False*)

Read signed 32-bit value at address.

int64p (*offset, fixed=False*)

Read signed 64-bit value at offset.

int64v (*addr, fixed=False*)

Read signed 64-bit value at address.

int8p (*offset, fixed=False*)

Read signed 8-bit value at offset.

int8v (*addr, fixed=False*)

Read signed 8-bit value at address.

is_addr (*addr*)

Checks whether provided parameter is correct virtual address :param addr: Virtual address candidate :return: True if it is mapped by ProcessMemory object

iter_regions (*addr=None, offset=None, length=None, contiguous=False, trim=False*)

Iterates over Region objects starting at provided virtual address or offset

This method is used internally to enumerate regions using provided strategy.

Warning: If starting point is not provided, iteration will start from the first mapped region. This could be counter-intuitive when length is set. It literally means “get <length> of mapped bytes”. If you want to look for regions from address 0, you need to explicitly provide this address as an argument.

New in version 3.0.0.

Parameters

- **addr** (*int (default: None)*) – Virtual address of starting point
- **offset** (*int (default: None)*) – Offset of starting point, which will be translated to virtual address
- **length** (*int (default: None, unlimited)*) – Length of queried range in VM mapping context
- **contiguous** (*bool (default: False)*) – If True, break after first gap. Starting point must be inside mapped region.
- **trim** (*bool (default: False)*) – Trim Region objects to range boundaries (addr, addr+length)

Return type Iterator[[Region](#)]

property length

Returns length of raw memory contents :rtype: int

p2v (*off, length=None*)

Buffer (physical) offset to virtual address translation

Changed in version 3.0.0: Added optional mapping length check

Parameters

- **off** – Buffer offset
- **length** – Expected minimal length of mapping (optional)

Returns Virtual address or None if offset is not mapped

patchp (*offset*, *buf*)

Patch bytes under specified offset

Warning: Family of **p* methods doesn't care about contiguity of regions.

Use *p2v()* and *patchv()* if you want to operate on contiguous regions only

Parameters

- **offset** (*int*) – Buffer offset
- **buf** (*bytes*) – Buffer with patch to apply

Usage example:

```
from malduck import procmempe, aplib

with procmempe("mall.exe.dmp") as ppe:
    # Decompress payload
    payload = aPLib().decompress(
        ppe.readv(ppe.imgbase + 0x8400, ppe.imgend)
    )
    embed_pe = procmem(payload, base=0)
    # Fix headers
    embed_pe.patchp(0, b"MZ")
    embed_pe.patchp(embed_pe.uint32p(0x3C), b"PE")
    # Load patched image into procmempe
    embed_pe = procmempe.from_memory(embed_pe, image=True)
    assert embed_pe.asciiz(0x1000a410) == b"StrToIntExA"
```

patchv (*addr*, *buf*)

Patch bytes under specified virtual address

Patched address range must be within single region, ValueError is raised otherwise.

Parameters

- **addr** (*int*) – Virtual address
- **buf** (*bytes*) – Buffer with patch to apply

readp (*offset*, *length=None*)

Read a chunk of memory from the specified buffer offset.

Warning: Family of **p* methods doesn't care about contiguity of regions.

Use *p2v()* and *readv()* if you want to operate on contiguous regions only

Parameters

- **offset** – Buffer offset
- **length** – Length of chunk (optional)

Returns Chunk from specified location

Return type bytes

readv (*addr*, *length=None*)

Read a chunk of memory from the specified virtual address

Parameters

- **addr** (*int*) – Virtual address
- **length** (*int*) – Length of chunk (optional)

Returns Chunk from specified location

Return type bytes

readv_regions (*addr=None*, *length=None*, *contiguous=True*)

Generate chunks of memory from next contiguous regions, starting from the specified virtual address, until specified length of read data is reached.

Used internally.

Changed in version 3.0.0: Contents of contiguous regions are merged into single string

Parameters

- **addr** – Virtual address
- **length** – Size of memory to read (optional)
- **contiguous** – If True, readv_regions breaks after first gap

Return type Iterator[Tuple[int, bytes]]

readv_until (*addr*, *s*)

Read a chunk of memory until the stop marker

Parameters

- **addr** (*int*) – Virtual address
- **s** (*bytes*) – Stop marker

Return type bytes

regexp (*query*, *offset=None*, *length=None*)

Performs regex on the memory contents (non-region-wise)

If offset is None, looks for match from the beginning of memory

Parameters

- **query** (*bytes*) – Regular expression to find
- **offset** (*int* (optional)) – Offset in buffer where searching starts
- **length** (*int* (optional)) – Length of searched area

Returns Generates offsets where regex was matched

Return type Iterator[int]

regexv (*query*, *addr=None*, *length=None*)

Performs regex on the memory contents (region-wise)

If addr is None, looks for match from the beginning of memory

Parameters

- **query** (*bytes*) – Regular expression to find
- **addr** (*int* (optional)) – Virtual address of region where searching starts

- **length** (*int* (*optional*)) – Length of searched area

Returns Generates offsets where regex was matched

Return type Iterator[int]

Warning: Method doesn't match bytes overlapping the border between regions

uint16p (*offset, fixed=False*)

Read unsigned 16-bit value at offset.

uint16v (*addr, fixed=False*)

Read unsigned 16-bit value at address.

uint32p (*offset, fixed=False*)

Read unsigned 32-bit value at offset.

uint32v (*addr, fixed=False*)

Read unsigned 32-bit value at address.

uint64p (*offset, fixed=False*)

Read unsigned 64-bit value at offset.

uint64v (*addr, fixed=False*)

Read unsigned 64-bit value at address.

uint8p (*offset, fixed=False*)

Read unsigned 8-bit value at offset.

uint8v (*addr, fixed=False*)

Read unsigned 8-bit value at address.

utf16z (*addr*)

Read a null-terminated UTF-16 ASCII string at address.

Parameters **addr** – Virtual address of string

Return type bytes

v2p (*addr, length=None*)

Virtual address to buffer (physical) offset translation

Changed in version 3.0.0: Added optional mapping length check

Parameters

- **addr** – Virtual address
- **length** – Expected minimal length of mapping (optional)

Returns Buffer offset or None if virtual address is not mapped

yarap (*ruleset, offset=None, length=None, extended=False*)

Perform yara matching (non-region-wise)

If offset is None, looks for match from the beginning of memory

Changed in version 4.0.0: Added *extended* option which allows to get extended information about matched strings and rules. Default is False for backwards compatibility.

Parameters

- **ruleset** (*malduck.yara.Yara*) – Yara object with loaded yara rules
- **offset** (*int* (*optional*)) – Offset in buffer where searching starts

- **length** (*int (optional)*) – Length of searched area
- **extended** (*bool (optional, default False)*) – Returns extended information about matched strings and rules

Return type *malduck.yara.YaraMatches*

yarav (*ruleset, addr=None, length=None, extended=False*)

Perform yara matching (region-wise)

If addr is None, looks for match from the beginning of memory

Changed in version 4.0.0: Added *extended* option which allows to get extended information about matched strings and rules. Default is False for backwards compatibility.

Parameters

- **ruleset** (*malduck.yara.Yara*) – Yara object with loaded yara rules
- **addr** (*int (optional)*) – Virtual address of region where searching starts
- **length** (*int (optional)*) – Length of searched area
- **extended** (*bool (optional, default False)*) – Returns extended information about matched strings and rules

Return type *malduck.yara.YaraRulesetOffsets* or *malduck.yara.YaraRulesetMatches* if extended is set to True

class *malduck.procmem.procmem.Region* (*addr: int, size: int, state: int, type_: int, protect: int, offset: int*)

Represents single mapped region in *ProcessMemory*

contains_addr (*addr: int*) → bool

Checks whether region contains provided virtual address

contains_offset (*offset: int*) → bool

Checks whether region contains provided physical offset

property end

Virtual address of region end (first unmapped byte)

property end_offset

Offset of region end (first unmapped byte)

intersects_range (*addr: int, length: int*) → bool

Checks whether region mapping intersects with provided range

property last

Virtual address of last region byte

property last_offset

Offset of last region byte

p2v (*off: int*) → int

Physical offset to translation. Assumes that offset is valid within Region. :param off: Physical offset :return: Virtual address

to_json () → Dict[str, Union[int, str, None]]

Returns JSON-like dict representation

trim_range (*addr: int, length: Optional[int] = None*) → Optional[malduck.procmem.region.Region]

Returns region intersection with provided range :param addr: Virtual address of starting point :param length: Length of range (optional) :rtype: *Region*

v2p (*addr: int*) → int

Virtual address to physical offset translation. Assumes that address is valid within Region. :param addr:
Virtual address :return: Physical offset

2.2 ProcessMemoryPE (procmempe)

malduck.**procmempe**

alias of *malduck.procmem.procmempe.ProcessMemoryPE*

class malduck.procmem.procmempe.**ProcessMemoryPE** (*buf: Union[bytes, bytearray, mmap.mmap], base: int = 0, regions: Optional[List[malduck.procmem.region.Region]] = None, image: bool = False, detect_image: bool = False*)

Representation of memory-mapped PE file

Short name: *procmempe*

PE files can be read directly using inherited `ProcessMemory.from_file()` with *image* argument set (look at `from_memory()` method).

property *imgend*

Address where PE image ends

is_image_loaded_as_memdump () → bool

Checks whether memory region contains image incorrectly loaded as memory-mapped PE dump (image=False).

```
embed_pe = procmempe.from_memory(mem)
if not embed_pe.is_image_loaded_as_memdump():
    # Memory contains plain PE file - need to load it first
    embed_pe = procmempe.from_memory(mem, image=True)
```

is_valid () → bool

Checks whether imgbase is pointing at valid binary header

property *pe*

Related PE object

store () → bytes

Store ProcessMemoryPE contents as PE file data.

Return type bytes

2.3 ProcessMemoryELF (procmemelf)

malduck.**procmemelf**

alias of *malduck.procmem.procmemelf.ProcessMemoryELF*

class malduck.procmem.procmemelf.**ProcessMemoryELF** (*buf: Union[bytes, bytearray, mmap.mmap], base: int = 0, regions: Optional[List[malduck.procmem.region.Region]] = None, image: bool = False, detect_image: bool = False*)

Representation of memory-mapped ELF file

Short name: *procmemelf*

ELF files can be read directly using inherited `ProcessMemory.from_file()` with *image* argument set (look at `from_memory()` method).

property elf

Related `ELFFile` object

property imgend

Address where ELF image ends

is_image_loaded_as_memdump()

Uses some heuristics to deduce whether contents can be loaded with *image=True*. Used by *detect_image*

is_valid() → bool

Checks whether imgbase is pointing at valid binary header

2.4 CuckooProcessMemory (cuckoomem)

`malduck.cuckoomem`

alias of `malduck.procmem.cuckoomem.CuckooProcessMemory`

class `malduck.procmem.cuckoomem.CuckooProcessMemory` (*buf: Union[bytes, bytearray, mmap.mmap], base: Optional[int] = None, **_*)

Wrapper object to operate on process memory dumps in Cuckoo 2.x format.

2.5 IDAProcessMemory (idamem)

`malduck.idamem`

alias of `malduck.procmem.idamem.IDAProcessMemory`

class `malduck.procmem.idamem.IDAProcessMemory`

ProcessMemory representation operating in IDAPython context [BETA]

X86 DISASSEMBLER

class malduck.disasm.Disassemble

disassemble (*data: bytes, addr: int, x64: bool = False, count: int = 0*) → Iterator[malduck.disasm.Instruction]
Disassembles data from specific address

Changed in version 4.0.0: Returns iterator instead of list of instructions, accepts maximum number of instructions to disassemble

short: disasm

Parameters

- **data** (*bytes*) – Block of data to disassemble
- **addr** (*int*) – Virtual address of data
- **x64** (*bool (default=False)*) – Disassemble in x86-64 mode?
- **count** (*int (default=0)*) – Number of instructions to disassemble

Returns Returns iterator of instructions

Return type Iterator[*Instruction*]

class malduck.disasm.Instruction (*mnem: Optional[str] = None, op1: Optional[malduck.disasm.Operand] = None, op2: Optional[malduck.disasm.Operand] = None, op3: Optional[malduck.disasm.Operand] = None, addr: Optional[int] = None, x64: bool = False*)

Represents single instruction in *Disassemble*

short: insn

Properties correspond to the following elements of instruction:

```
00400000  imul    ecx,    edx,    0
[addr]    [mnem]  [op1], [op2], [op3]
```

Usage example:

```
def get_move_value(self, p, hit, *args):
    # find move value of `mov eax, x`
    for ins in p.disasmv(hit, 0x100):
        if ins.mnem == 'mov' and ins.op1.value == 'eax':
            return ins.op2.value
```

See also:

`malduck.procmem.ProcessMemory.disasmv()`

property addr

Instruction address

property op1

First operand

property op2

Second operand

property op3

Third operand

class `malduck.disasm.Operand` (*op: capstone.x86.X86Op, x64: bool*)

Operand object for single *Instruction*

property is_imm

Is it immediate operand?

property is_mem

Is it memory operand?

property is_reg

Is it register operand?

property mem

Returns *Memory* object for memory operands

property reg

Returns register used by operand.

For memory operands, returns base register or index register if base is not used. For immediate operands or displacement-only memory operands returns None.

Return type str

property value

Returns operand value or displacement value for memory operands

Return type str or int or None

class `malduck.disasm.Memory` (*size, base, scale, index, disp*)

property base

Alias for field number 1

property disp

Alias for field number 4

property index

Alias for field number 3

property scale

Alias for field number 2

property size

Alias for field number 0

PE WRAPPER

```
class malduck.pe.PE(data: Union[ProcessMemory, bytes], fast_load: bool = False)
    Wrapper around pefile.PE, accepts either bytes (raw file contents) or ProcessMemory instance.

    directory (name: str) → Any
        Get pefile directory entry by identifier

        Parameters name – shortened pefile directory entry identifier (e.g. 'IMPORT' for 'IMAGE_DIRECTORY_ENTRY_IMPORT')

        Return type pefile.Structure

    property dos_header
        Dos header

    property file_header
        File header

    property headers_size
        Estimated size of PE headers (first section offset). If there are no sections: returns 0x1000 or size of input
        if provided data are shorter than single page

    property is32bit
        Is it 32-bit file (PE)?

    property is64bit
        Is it 64-bit file (PE+)?

    property nt_headers
        NT headers

    property optional_header
        Optional header

    resource (name: Union[int, str, bytes]) → Optional[bytes]
        Retrieves single resource by specified name or type

        Parameters name (int or str or bytes) – String name (e2) or type (e1), numeric identifier name (e2) or RT_* type (e1)

        Return type bytes or None

    resources (name: Union[int, str, bytes]) → Iterator[bytes]
        Finds resource objects by specified name or type

        Parameters name (int or str or bytes) – String name (e2) or type (e1), numeric identifier name (e2) or RT_* type (e1)

        Return type Iterator[bytes]
```

section (*name: Union[str, bytes]*) → Any

Get section by name

Parameters **name** (*str or bytes*) – Section name

property sections

Sections

structure (*rva: int, format: Any*) → Any

Get internal pefile Structure from specified rva

Parameters

- **rva** – Relative virtual address of structure
- **format** – pefile.Structure format (e.g. pefile.PE.__IMAGE_LOAD_CONFIG_DIRECTORY64_format__)

Return type pefile.Structure

validate_import_names () → bool

Returns True if the first 8 imported library entries have valid library names

validate_padding () → bool

Returns True if area between first non-bss section and first 4kB doesn't have only null-bytes

validate_resources () → bool

Returns True if first level of resource tree looks consistent

YARA WRAPPER

class malduck.yara.Yara (rule_paths=None, name='r', strings=None, condition='any of them')
Represents Yara ruleset. Rules can be compiled from set of files or defined in code (single rule only).

Most simple rule (with default identifiers left):

```
from malduck.yara import Yara, YaraString

Yara(strings="MALWR").match(data=b"MALWRMALWARMALWR").r.string == [0, 11]
```

Example of more complex rule defined in Python:

```
from malduck.yara import Yara, YaraString

ruleset = Yara(name="MalwareRule",
strings={
    "xor_stub": YaraString("This program cannot", xor=True, ascii=True),
    "code_ref": YaraString("E2 34 ?? C8 A? FB", type=YaraString.HEX),
    "mal1": "MALWR",
    "mal2": "MALRW"
}, condition="( $xor_stub and $code_ref ) or any of ($mal*)")

# If mal1 or mal2 are matched, they are grouped into "mal"

# Print appropriate offsets

match = ruleset.match(data=b"MALWR MALRW")

if match:
    # ["mal1", "mal", "mal2"]
    print(match.MalwareRule.keys())
    if "mal" in match.MalwareRule:
        # Note: Order of offsets for grouped strings is undetermined
        print("mal*", match.MalwareRule["mal"])
```

Parameters

- **rule_paths** (*dict*) – Dictionary of {"namespace": "rule_path"}. See also *Yara.from_dir()*.
- **name** (*str*) – Name of generated rule (default: "r")
- **strings** (*dict* or *str* or *YaraString*) – Dictionary representing set of string patterns ({"string_identifier": YaraString or plain str})
- **condition** (*str*) – Yara rule condition (default: "any of them")

static from_dir (*path*, *recursive=True*, *followlinks=True*)

Find rules (recursively) in specified path. Supported extensions: *.yar, *.yara

Parameters

- **path** (*str*) – Root path for searching
- **recursive** (*bool*) – Search recursively (default: enabled)
- **followlinks** (*bool*) – Follow symbolic links (default: enabled)

Return type *Yara*

match (*offset_mapper=None*, *extended=False*, ***kwargs*)

Perform matching on file or data block

Parameters

- **filepath** (*str*) – Path to the file to be scanned
- **data** (*str*) – Data to be scanned
- **offset_mapper** (*function*) – Offset mapping function. For unmapped region, should returned None. Used by `malduck.procmem.ProcessMemory.yarav()`
- **extended** (*bool (optional, default False)*) – Returns extended information about matched strings and rules

Return type `malduck.yara.YaraRulesetOffsets` or `malduck.yara.YaraRulesetMatches` if *extended* is set to `True`

class `malduck.yara.YaraString` (*value*, *type=<YaraStringType.TEXT: 0>*, ***modifiers*)

Formatter for Yara string patterns

Parameters

- **value** (*str*) – Pattern value
- **type** (`YaraString.TEXT` / `YaraString.HEX` / `YaraString.REGEX`) – Pattern type (default is `YaraString.TEXT`)
- **modifiers** – Yara string modifier flags

`malduck.yara.YaraMatches`

alias of `malduck.yara.YaraRulesetOffsets`

`malduck.yara.YaraMatch`

alias of `malduck.yara.YaraRuleOffsets`

CRYPTOGRAPHY

Common cryptography algorithms used in malware.

6.1 AES

AES (Advanced Encryption Standard) block cipher.

Supported modes: CBC, ECB, CTR.

```
from malduck import aes

key = b'A'*16
iv = b'B'*16
plaintext = b'data'*16
ciphertext = aes.cbc.encrypt(key, iv, plaintext)
```

6.1.1 AES-CBC mode

`malduck.aes.cbc.encrypt` (*key: bytes, iv: bytes, data: bytes*) → bytes

Encrypts buffer using AES algorithm in CBC mode.

Parameters

- **key** (*bytes*) – Cryptographic key (128, 192 or 256 bits)
- **iv** (*bytes*) – Initialization vector
- **data** (*bytes*) – Buffer to be encrypted

Returns Encrypted data

Return type bytes

`malduck.aes.cbc.decrypt` (*key: bytes, iv: bytes, data: bytes*) → bytes

Decrypts buffer using AES algorithm in CBC mode.

Parameters

- **key** (*bytes*) – Cryptographic key (128, 192 or 256 bits)
- **iv** (*bytes*) – Initialization vector
- **data** (*bytes*) – Buffer to be decrypted

Returns Decrypted data

Return type bytes

6.1.2 AES-ECB mode

`malduck.aes.ecb.encrypt` (*key: bytes, data: bytes*) → bytes
 Encrypts buffer using AES algorithm in ECB mode.

Parameters

- **key** (*bytes*) – Cryptographic key (128, 192 or 256 bits)
- **data** (*bytes*) – Buffer to be encrypted

Returns Encrypted data

Return type bytes

`malduck.aes.ecb.decrypt` (*key: bytes, data: bytes*) → bytes
 Decrypts buffer using AES algorithm in ECB mode.

Parameters

- **key** (*bytes*) – Cryptographic key (128, 192 or 256 bits)
- **data** (*bytes*) – Buffer to be decrypted

Returns Decrypted data

Return type bytes

6.1.3 AES-CTR mode

`malduck.aes.ctr.encrypt` (*key: bytes, nonce: bytes, data: bytes*) → bytes
 Encrypts buffer using AES algorithm in CTR mode.

Parameters

- **key** (*bytes*) – Cryptographic key (128, 192 or 256 bits)
- **nonce** (*bytes*) – Initial counter value, big-endian encoded
- **data** (*bytes*) – Buffer to be encrypted

Returns Encrypted data

Return type bytes

`malduck.aes.ctr.decrypt` (*key: bytes, nonce: bytes, data: bytes*) → bytes
 Decrypts buffer using AES algorithm in CTR mode.

Parameters

- **key** (*bytes*) – Cryptographic key (128, 192 or 256 bits)
- **nonce** (*bytes*) – Initial counter value, big-endian encoded
- **data** (*bytes*) – Buffer to be decrypted

Returns Decrypted data

Return type bytes

6.2 Blowfish (ECB only)

Blowfish block cipher.

Supported modes: ECB.

```
from malduck import blowfish

key = b'blowfish'
plaintext = b'data'*16
ciphertext = blowfish.ecb.encrypt(key, plaintext)
```

`malduck.blowfish.ecb.encrypt` (*key: bytes, data: bytes*) → bytes
Encrypts buffer using Blowfish algorithm in ECB mode.

Parameters

- **key** (*bytes*) – Cryptographic key (4 to 56 bytes)
- **data** (*bytes*) – Buffer to be encrypted

Returns Encrypted data

Return type bytes

`malduck.blowfish.ecb.decrypt` (*key: bytes, data: bytes*) → bytes
Decrypts buffer using Blowfish algorithm in ECB mode.

Parameters

- **key** (*bytes*) – Cryptographic key (4 to 56 bytes)
- **data** (*bytes*) – Buffer to be decrypted

Returns Decrypted data

Return type bytes

6.3 DES/DES3 (CBC only)

Triple DES block cipher.

Fallbacks to single DES for 8 byte keys.

Supported modes: CBC.

```
from malduck import des3

key = b'des3des3'
iv = b'3des3des'
plaintext = b'data'*16
ciphertext = des3.cbc.decrypt(key, plaintext)
```

`malduck.des3.cbc.encrypt` (*key: bytes, iv: bytes, data: bytes*) → bytes
Encrypts buffer using DES/DES3 algorithm in CBC mode.

Parameters

- **key** (*bytes*) – Cryptographic key (16 or 24 bytes, 8 bytes for single DES)
- **iv** (*bytes*) – Initialization vector

- **data** (*bytes*) – Buffer to be encrypted

Returns Encrypted data

Return type bytes

`malduck.des3.cbc.decrypt` (*key: bytes, iv: bytes, data: bytes*) → bytes

Decrypts buffer using DES/DES3 algorithm in CBC mode.

Parameters

- **key** (*bytes*) – Cryptographic key (16 or 24 bytes, 8 bytes for single DES)
- **iv** (*bytes*) – Initialization vector
- **data** (*bytes*) – Buffer to be decrypted

Returns Decrypted data

Return type bytes

6.4 Serpent (CBC only)

Serpent block cipher.

Supported modes: CBC

```
from malduck import serpent

key = b'a'*16
iv = b'b'*16
plaintext = b'data'*16
ciphertext = serpent.cbc.encrypt(key, plaintext, iv=iv)
```

`malduck.serpent.cbc.encrypt` (*key: bytes, data: bytes, iv: Optional[bytes] = None*) → bytes

Encrypts buffer using Serpent algorithm in CBC mode.

Parameters

- **key** (*bytes*) – Cryptographic key (4-32 bytes, must be multiple of four)
- **data** (*bytes*) – Buffer to be encrypted
- **iv** (*bytes, optional*) – Initialization vector (defaults to `b"" * 16`)

Returns Encrypted data

Return type bytes

`malduck.serpent.cbc.decrypt` (*key: bytes, data: bytes, iv: Optional[bytes] = None*) → bytes

Decrypts buffer using Serpent algorithm in CBC mode.

Parameters

- **key** (*bytes*) – Cryptographic key (4-32 bytes, must be multiple of four)
- **data** (*bytes*) – Buffer to be decrypted
- **iv** (*bytes, optional*) – Initialization vector (defaults to `b"" * 16`)

Returns Decrypted data

Return type bytes

6.5 Rabbit

Rabbit stream cipher.

```
from malduck import rabbit

key = b'a'*16
iv = b'b'*16
plaintext = b'data'*16
ciphertext = rabbit(key, iv, plaintext)
```

`malduck.rabbit` (*key: bytes, iv: bytes, data: bytes*) → bytes

Encrypts/decrypts buffer using Rabbit algorithm

Parameters

- **key** (*bytes*) – Cryptographic key (16 bytes)
- **iv** (*bytes*) – Initialization vector (8 bytes)
- **data** (*bytes*) – Buffer to be encrypted/decrypted

Returns Encrypted/decrypted data

Return type bytes

6.6 RC4

RC4 stream cipher.

```
from malduck import rc4

key = b'a'*16
plaintext = b'data'*16
ciphertext = rc4(key, plaintext)
```

`malduck.rc4` (*key: bytes, data: bytes*) → bytes

Encrypts/decrypts buffer using RC4 algorithm

Parameters

- **key** (*bytes*) – Cryptographic key (from 3 to 256 bytes)
- **data** (*bytes*) – Buffer to be encrypted/decrypted

Returns Encrypted/decrypted data

Return type bytes

6.7 XOR

XOR “stream cipher”.

```
from malduck import xor

key = b'a'*16
```

(continues on next page)

(continued from previous page)

```
xored = b'data'*16
unxored = xor(key, xored)
```

`malduck.xor` (*key*: Union[int, bytes], *data*: bytes) → bytes
XOR encryption/decryption

Parameters

- **key** (int (single byte) or bytes) – Encryption key
- **data** (bytes) – Buffer containing data to decrypt

Returns Encrypted/decrypted data

Return type bytes

6.8 RSA (BLOB parser)

`malduck.rsa`
alias of `malduck.crypto.rsa.RSA`

class `malduck.crypto.rsa.RSA`

static export_key (*n*: int, *e*: int, *d*: Optional[int] = None, *p*: Optional[int] = None, *q*: Optional[int] = None, *crt*: Optional[int] = None) → bytes
Constructs key from tuple of RSA components

Parameters

- **n** – RSA modulus n
- **e** – Public exponent e
- **d** – Private exponent d
- **p** – First factor of n
- **q** – Second factor of n
- **crt** – CRT coefficient q

Returns RSA key in PEM format

Return type bytes

static import_key (*data*: bytes) → Optional[bytes]
Extracts key from buffer containing `PublicKeyBlob` or `PrivateKeyBlob` data

Parameters **data** (bytes) – Buffer with *BLOB* structure data

Returns RSA key in PEM format

Return type bytes

6.9 BLOB struct

class `malduck.crypto.winhdr.BLOBHEADER`
Windows BLOBHEADER structure

See also:

BLOBHEADER structure description (Microsoft Docs): <https://docs.microsoft.com/en-us/windows/win32/api/wincrypt/ns-wincrypt-publickeystruc>

class `malduck.crypto.aes.PlaintextKeyBlob`
BLOB object (*PLAINTEXTKEYBLOB*) for *CALG_AES*

See also:

`malduck.crypto.BLOBHEADER`

export_key () → Optional[Tuple[str, bytes]]

Exports key from structure or returns None if no key was imported

Returns Tuple (*algorithm*, *key*). *Algorithm* is one of: “AES-128”, “AES-192”, “AES-256”

Return type Tuple[str, bytes]

parse (*buf*: *_io.BytesIO*) → None

Parse structure from buffer

Parameters *buf* (*io.BytesIO*) – Buffer with structure data

class `malduck.crypto.rsa.PublicKeyBlob`

class `malduck.crypto.rsa.PrivateKeyBlob`

COMPRESSION ALGORITHMS

7.1 aPLib

`malduck.aplib` (*buf*: bytes, *headerless*: bool = False) → Optional[bytes]
aPLib decompression

```
from malduck import aplib

# Headerless compressed buffer
aplib(b'T\x00he quick\xecb\x0erown\xcef\xae\x80jumps\xed\xee4veur`t?
↳ lazy\xead\xfe\x00\x00')
# Header included
aplib(b
↳ 'AP32\x18\x00\x00\x00\r\x00\x00\x00\xbc\x9ab\x9b\x0b\x00\x00\x00\x85\x11J\rh8el\x8eo
↳ wnr\xecd\x00')
```

Parameters

- **buf** (bytes) – Buffer to decompress
- **headerless** (bool (default: *True*)) – Force headerless decompression (don't perform 'AP32' magic detection)

Return type bytes

7.2 gzip

`malduck.gzip` (*buf*: bytes) → bytes
gzip/zlib decompression

```
from malduck import gzip, unhex

# zlib decompression
gzip(unhex(b'789ccb48cdc9c95728cf2fca4901001a0b045d'))
# gzip decompression (detected by 1f8b08 prefix)
gzip(unhex(b
↳ '1f8b08082199b75a0403312d3100cb48cdc9c95728cf2fca49010085114a0d0b000000'))
```

Parameters **buf** (bytes) – Buffer to decompress

Return type bytes

7.3 lznt1 (RtlDecompressBuffer)

`malduck.lznt1 (buf: bytes) → bytes`

Implementation of LZNT1 decompression. Allows to decompress data compressed by `RtlCompressBuffer`

```
from malduck import lznt1

lznt1(b"°\compress\edtestdataalot")
```

Parameters `buf` (*bytes*) – Buffer to decompress

Return type `bytes`

HASHING ALGORITHMS

8.1 CRC32

`malduck.crc32 (val: bytes) → int`
Computes CRC32 checksum for provided data

8.2 MD5

`malduck.md5 (s: bytes) → bytes`

8.3 SHA1

`malduck.sha1 (s: bytes) → bytes`

8.4 SHA224/256/384/512

`malduck.sha224 (s: bytes) → bytes`

`malduck.sha256 (s: bytes) → bytes`

`malduck.sha384 (s: bytes) → bytes`

`malduck.sha512 (s: bytes) → bytes`

COMMON BITWISE OPERATIONS

9.1 Rotate left/right

`malduck.bits.rol` (*value: int, count: int, bits: int = 32*) → int

Bitwise rotate left

Parameters

- **value** – Value to rotate
- **count** – Number of bits to rotate
- **bits** – Bit-length of rotated value (default: 32-bit, DWORD)

See also:

`malduck.ints.IntType.rol()`

`malduck.bits.ror` (*value: int, count: int, bits: int = 32*) → int

Bitwise rotate right

Parameters

- **value** – Value to rotate
- **count** – Number of bits to rotate
- **bits** – Bit-length of rotated value (default: 32-bit, DWORD)

See also:

`malduck.ints.IntType.ror()`

9.2 Align up/down

`malduck.bits.align` (*value: int, round_to: int*) → int

Rounds value up to provided alignment

`malduck.bits.align_down` (*value: int, round_to: int*) → int

Rounds value down to provided alignment

FIXED-INTEGER TYPES

10.1 Object properties

class `malduck.ints.IntType`

Fixed-size variant of `int` type with C-style operators and casting

Supports ctypes-like multiplication for unpacking tuple of values

- **Unsigned types:** `UInt64` (QWORD), `UInt32` (DWORD), `UInt16` (WORD), `UInt8` (BYTE or CHAR)
- **Signed types:** `Int64`, `Int32`, `Int16`, `Int8`

`IntTypes` are derived from `int` type, so they are fully compatible with other numeric types

```
res = u32(0x8080FFFF) << 16 | 0xFFFF
> 0xFFFFFFFF
res = Int32(res)
> -1
```

Using `IntTypes` you don't need to mask everything with `0xFFFFFFFF`, only if you remember about appropriate casting.

```
from malduck import DWORD

def rol7_hash(name: bytes):
    hh = 0
    for c in name:
        hh = DWORD(x).rol(7) ^ c
    return x

def sdbm_hash(name: bytes):
    hh = 0
    for c in name:
        hh = DWORD(c) + (hh << 6) + (hh << 16) - hh
    return hh
```

Type coercion between native and fixed integers depends on LHS type:

```
UInt32 = UInt32 + int
int = int + UInt32
```

`IntTypes` can be multiplied like ctypes classes for unpacking tuple of values:

```
values = (BYTE * 3).unpack('\x01\x02\x03')
values -> (1, 2, 3)
```

pack () → bytes

Pack value into bytes with little-endian order

pack_be () → bytes

Pack value into bytes with big-endian order

rol (other) → malduck.ints.IntType

Bitwise rotate left

ror (other) → malduck.ints.IntType

Bitwise rotate right

classmethod unpack (other: bytes, offset: int = 0, fixed: bool = True) → Union[malduck.ints.IntType, int, None]

Unpacks single value from provided buffer with little-endian order

Parameters

- **other** (bytes) – Buffer object containing value to unpack
- **offset** (int) – Buffer offset
- **fixed** (bool (default: True)) – Convert to fixed-size integer (IntType instance)

Return type IntType instance or None if there are not enough data to unpack

Warning: Fixed-size integer operations are 4-5 times slower than equivalent on built-in integer types

classmethod unpack_be (other: bytes, offset: int = 0, fixed: bool = True) → Union[malduck.ints.IntType, int, None]

Unpacks single value from provided buffer with big-endian order

Parameters

- **other** (bytes) – Buffer object containing value to unpack
- **offset** (int) – Buffer offset
- **fixed** (bool (default: True)) – Convert to fixed-size integer (IntType instance)

Return type IntType instance or None if there are not enough data to unpack

Warning: Fixed-size integer operations are 4-5 times slower than equivalent on built-in integer types

class malduck.ints.IntTypeBase

Base class representing all IntType instances

class malduck.ints.MultipliedIntTypeBase

Base class representing all MultipliedIntType instances

class malduck.ints.MetaIntType

Metaclass for IntType classes. Provides ctypes-like behavior e.g. (QWORD*8).unpack(...) returns tuple of 8 QWORDS

property invert_mask

Mask for sign bit

property mask

Mask for potentially overflowing operations

10.2 UInt64/UInt32/UInt16/UInt8 (QWORD/DWORD/WORD/BYTE)

malduck.QWORD

alias of *malduck.ints.UInt64*

malduck.DWORD

alias of *malduck.ints.UInt32*

malduck.WORD

alias of *malduck.ints.UInt16*

malduck.BYTE

alias of *malduck.ints.UInt8*

class malduck.ints.UInt64

class malduck.ints.UInt32

class malduck.ints.UInt16

class malduck.ints.UInt8

10.3 Int64/Int32/Int16/Int8

class malduck.ints.Int64

class malduck.ints.Int32

class malduck.ints.Int16

class malduck.ints.Int8

COMMON STRING OPERATIONS (PADDING, CHUNKS, BASE64)

Supports most common string operations e.g.:

- **packing/unpacking:** `p64()`, `p32()`, `p16()`, `p8()`
`u64()`, `u32()`, `u16()`, `u8()`
- **chunks:** `chunks_iter()`, `chunks()`

11.1 chunks/chunks_iter

`malduck.chunks_iter(s: T, n: int) → Iterator[T]`

Yield successive n-sized chunks from s.

`malduck.chunks(s: T, n: int) → List[T]`

Return list of successive n-sized chunks from s.

11.2 asciiz/utf16z

`malduck.asciiz(s: bytes) → bytes`

Treats s as null-terminated ASCII string

Parameters `s (bytes)` – Buffer containing null-terminated ASCII string

`malduck.utf16z(s: bytes) → bytes`

Treats s as null-terminated UTF-16 ASCII string

Parameters `s (bytes)` – Buffer containing null-terminated UTF-16 string

Returns ASCII string without ‘\0’ terminator

Return type bytes

11.3 enhex/unhex

`malduck.enhex(s: bytes) → bytes`

Changed in version 2.0.0: Renamed from `malduck.hex()`

`malduck.unhex(s: Union[str, bytes]) → bytes`

`malduck.uleb128(s: bytes) → Optional[Tuple[int, int]]`

Unsigned Little-Endian Base 128

`malduck.base64` (*s: Union[str, bytes]*) → bytes
Base64 encoder/decoder

11.4 Padding (null/pkcs7)

`malduck.pad` (*s: bytes, block_size: int*) → bytes
Padding PKCS7/NULL

`malduck.unpad` (*s: bytes*) → bytes
Unpadding PKCS7/NULL

11.5 Packing/unpacking (p64/p32/p16/p8, u64/u32/u16/u8, bigint)

`malduck.uint64` (*other: bytes, offset: int = 0, fixed: bool = True*) → Union[malduck.ints.IntType, int, None]
Unpacks single value from provided buffer with little-endian order

Parameters

- **other** (*bytes*) – Buffer object containing value to unpack
- **offset** (*int*) – Buffer offset
- **fixed** (*bool (default: True)*) – Convert to fixed-size integer (IntType instance)

Return type IntType instance or None if there are not enough data to unpack

Warning: Fixed-size integer operations are 4-5 times slower than equivalent on built-in integer types

`malduck.uint32` (*other: bytes, offset: int = 0, fixed: bool = True*) → Union[malduck.ints.IntType, int, None]
Unpacks single value from provided buffer with little-endian order

Parameters

- **other** (*bytes*) – Buffer object containing value to unpack
- **offset** (*int*) – Buffer offset
- **fixed** (*bool (default: True)*) – Convert to fixed-size integer (IntType instance)

Return type IntType instance or None if there are not enough data to unpack

Warning: Fixed-size integer operations are 4-5 times slower than equivalent on built-in integer types

`malduck.uint16` (*other: bytes, offset: int = 0, fixed: bool = True*) → Union[malduck.ints.IntType, int, None]
Unpacks single value from provided buffer with little-endian order

Parameters

- **other** (*bytes*) – Buffer object containing value to unpack
- **offset** (*int*) – Buffer offset
- **fixed** (*bool (default: True)*) – Convert to fixed-size integer (IntType instance)

Return type IntType instance or None if there are not enough data to unpack

Warning: Fixed-size integer operations are 4-5 times slower than equivalent on built-in integer types

`malduck.uint8` (*other: bytes, offset: int = 0, fixed: bool = True*) → Union[malduck.ints.IntType, int, None]
Unpacks single value from provided buffer with little-endian order

Parameters

- **other** (*bytes*) – Buffer object containing value to unpack
- **offset** (*int*) – Buffer offset
- **fixed** (*bool (default: True)*) – Convert to fixed-size integer (IntType instance)

Return type IntType instance or None if there are not enough data to unpack

Warning: Fixed-size integer operations are 4-5 times slower than equivalent on built-in integer types

`malduck.u64` (*other: bytes, offset: int = 0, fixed: bool = True*) → Union[malduck.ints.IntType, int, None]
Unpacks single value from provided buffer with little-endian order

Parameters

- **other** (*bytes*) – Buffer object containing value to unpack
- **offset** (*int*) – Buffer offset
- **fixed** (*bool (default: True)*) – Convert to fixed-size integer (IntType instance)

Return type IntType instance or None if there are not enough data to unpack

Warning: Fixed-size integer operations are 4-5 times slower than equivalent on built-in integer types

`malduck.u32` (*other: bytes, offset: int = 0, fixed: bool = True*) → Union[malduck.ints.IntType, int, None]
Unpacks single value from provided buffer with little-endian order

Parameters

- **other** (*bytes*) – Buffer object containing value to unpack
- **offset** (*int*) – Buffer offset
- **fixed** (*bool (default: True)*) – Convert to fixed-size integer (IntType instance)

Return type IntType instance or None if there are not enough data to unpack

Warning: Fixed-size integer operations are 4-5 times slower than equivalent on built-in integer types

`malduck.u16` (*other: bytes, offset: int = 0, fixed: bool = True*) → Union[malduck.ints.IntType, int, None]
Unpacks single value from provided buffer with little-endian order

Parameters

- **other** (*bytes*) – Buffer object containing value to unpack
- **offset** (*int*) – Buffer offset

- **fixed** (*bool* (*default*: *True*)) – Convert to fixed-size integer (IntType instance)

Return type IntType instance or None if there are not enough data to unpack

Warning: Fixed-size integer operations are 4-5 times slower than equivalent on built-in integer types

`malduck.u8 (other: bytes, offset: int = 0, fixed: bool = True) → Union[malduck.ints.IntType, int, None]`

Unpacks single value from provided buffer with little-endian order

Parameters

- **other** (*bytes*) – Buffer object containing value to unpack
- **offset** (*int*) – Buffer offset
- **fixed** (*bool* (*default*: *True*)) – Convert to fixed-size integer (IntType instance)

Return type IntType instance or None if there are not enough data to unpack

Warning: Fixed-size integer operations are 4-5 times slower than equivalent on built-in integer types

`malduck.p64 (v)`

`malduck.p32 (v)`

`malduck.p16 (v)`

`malduck.p8 (v)`

`malduck.bigint.unpack (other: bytes, size: Optional[int] = None) → int`

Unpacks bigint value from provided buffer with little-endian order

New in version 4.0.0: Use `bigint.unpack` instead of `bigint()` method

Parameters

- **other** (*bytes*) – Buffer object containing value to unpack
- **size** (*bytes*, *optional*) – Size of bigint in bytes

Return type int

`malduck.bigint.pack (other: int, size: Optional[int] = None) → bytes`

Packs bigint value into bytes with little-endian order

New in version 4.0.0: Use `bigint.pack` instead of `bigint()` method

Parameters

- **other** (*int*) – Value to be packed
- **size** (*bytes*, *optional*) – Size of bigint in bytes

Return type bytes

`malduck.bigint.unpack_be (other: bytes, size: Optional[int] = None) → int`

Unpacks bigint value from provided buffer with big-endian order

Parameters

- **other** (*bytes*) – Buffer object containing value to unpack
- **size** (*bytes*, *optional*) – Size of bigint in bytes

Return type int

`malduck.bigint.pack_be (other: int, size: Optional[int] = None) → bytes`

Packs bigint value into bytes with big-endian order

New in version 4.0.0: Use `bigint.pack` instead of `bigint()` method

Parameters

- **other** (*int*) – Value to be packed
- **size** (*bytes*, *optional*) – Size of bigint in bytes

Return type bytes

11.6 IPv4 inet_ntoa

`malduck.ipv4 (s: Union[bytes, int]) → Optional[str]`

Decodes IPv4 address and returns dot-decimal notation

Parameters **s** (*int* or *bytes*) – Buffer or integer value to be decoded as IPv4

Return type str

INDICES AND TABLES

- `genindex`
- `modindex`
- `search`

PYTHON MODULE INDEX

m

- `malduck.bits`, 41
- `malduck.compression`, 37
- `malduck.crypto`, 29
- `malduck.disasm`, 23
- `malduck.extractor`, 3
- `malduck.hash`, 39
- `malduck.ints`, 43
- `malduck.pe`, 25
- `malduck.procmem`, 11
- `malduck.string`, 47
- `malduck.yara`, 27

A

`addr()` (*malduck.disasm.Instruction* property), 24
`addr_region()` (*malduck.procmem.procmem.ProcessMemory* method), 12
`align()` (*in module malduck.bits*), 41
`align_down()` (*in module malduck.bits*), 41
`aplib()` (*in module malduck*), 37
`asciiiz()` (*in module malduck*), 47
`asciiiz()` (*malduck.procmem.procmem.ProcessMemory* method), 12

B

`base()` (*malduck.disasm.Memory* property), 24
`base64()` (*in module malduck*), 47
`BLOBHEADER` (*class in malduck.crypto.winhdr*), 34
`BYTE` (*in module malduck*), 45

C

`chunks()` (*in module malduck*), 47
`chunks_iter()` (*in module malduck*), 47
`close()` (*malduck.procmem.procmem.ProcessMemory* method), 12
`collected_config` (*malduck.extractor.extract_manager.ProcmemExtractManager* attribute), 9
`collected_config()` (*malduck.extractor.Extractor* property), 6
`config()` (*malduck.extractor.extract_manager.ProcmemExtractManager* property), 9
`config()` (*malduck.extractor.ExtractManager* property), 7
`contains_addr()` (*malduck.procmem.procmem.Region* method), 19
`contains_offset()` (*malduck.procmem.procmem.Region* method), 19
`crc32()` (*in module malduck*), 39
`cuckoomem` (*in module malduck*), 21
`CuckooProcessMemory` (*class in malduck.procmem.cuckoomem*), 21

D

`decrypt()` (*in module malduck.aes.cbc*), 29
`decrypt()` (*in module malduck.aes.ctr*), 30
`decrypt()` (*in module malduck.aes.ecb*), 30
`decrypt()` (*in module malduck.blowfish.ecb*), 31
`decrypt()` (*in module malduck.des3.cbc*), 32
`decrypt()` (*in module malduck.serpent.cbc*), 32
`directory()` (*malduck.pe.PE* method), 25
`disasmv()` (*malduck.procmem.procmem.ProcessMemory* method), 12
`Disassemble` (*class in malduck.disasm*), 23
`disassemble()` (*malduck.disasm.Disassemble* method), 23
`disp()` (*malduck.disasm.Memory* property), 24
`dos_header()` (*malduck.pe.PE* property), 25
`DWORD` (*in module malduck*), 45

E

`elf()` (*malduck.procmem.procmemelf.ProcessMemoryELF* property), 21
`encrypt()` (*in module malduck.aes.cbc*), 29
`encrypt()` (*in module malduck.aes.ctr*), 30
`encrypt()` (*in module malduck.aes.ecb*), 30
`encrypt()` (*in module malduck.blowfish.ecb*), 31
`encrypt()` (*in module malduck.des3.cbc*), 31
`encrypt()` (*in module malduck.serpent.cbc*), 32
`end()` (*malduck.procmem.procmem.Region* property), 19
`end_offset()` (*malduck.procmem.procmem.Region* property), 19
`enhex()` (*in module malduck*), 47
`export_key()` (*malduck.crypto.aes.PlaintextKeyBlob* method), 35
`export_key()` (*malduck.crypto.rsa.RSA* static method), 34
`extract()` (*malduck.procmem.procmem.ProcessMemory* method), 12
`ExtractManager` (*class in malduck.extractor*), 7
`Extractor` (*class in malduck.extractor*), 3
`extractor()` (*malduck.extractor.Extractor* method), 4
`ExtractorModules` (*class in malduck.extractor*), 8

extractors() (malduck.extractor.ExtractManager property), 7

F

family (malduck.extractor.extract_manager.ProcMemExtractManager attribute), 9

family (malduck.extractor.Extractor attribute), 6

file_header() (malduck.pe.PE property), 25

final() (malduck.extractor.Extractor method), 5

findbytesp() (malduck.procmem.procmem.ProcessMemory method), 13

findbytesv() (malduck.procmem.procmem.ProcessMemory method), 13

findmz() (malduck.procmem.procmem.ProcessMemory method), 13

findp() (malduck.procmem.procmem.ProcessMemory method), 13

findv() (malduck.procmem.procmem.ProcessMemory method), 14

from_dir() (malduck.yara.Yara static method), 27

from_file() (malduck.procmem.procmem.ProcessMemory class method), 14

from_memory() (malduck.procmem.procmem.ProcessMemory class method), 14

G

globals() (malduck.extractor.Extractor property), 7

gzip() (in module malduck), 37

H

handle_match() (malduck.extractor.Extractor method), 7

headers_size() (malduck.pe.PE property), 25

I

idamem (in module malduck), 21

IDAPProcessMemory (class in malduck.procmem.idamem), 21

imgend() (malduck.procmem.procmemelf.ProcessMemoryELF property), 21

imgend() (malduck.procmem.procmempe.ProcessMemoryPE property), 20

import_key() (malduck.crypto.rsa.RSA static method), 34

index() (malduck.disasm.Memory property), 24

Instruction (class in malduck.disasm), 23

Int16 (class in malduck.ints), 45

int16p() (malduck.procmem.procmem.ProcessMemory method), 14

int16v() (malduck.procmem.procmem.ProcessMemory method), 14

Int32 (class in malduck.ints), 45

int32p() (malduck.procmem.procmem.ProcessMemory method), 14

int32v() (malduck.procmem.procmem.ProcessMemory method), 14

Int64 (class in malduck.ints), 45

int64p() (malduck.procmem.procmem.ProcessMemory method), 14

int64v() (malduck.procmem.procmem.ProcessMemory method), 15

Int8 (class in malduck.ints), 45

int8p() (malduck.procmem.procmem.ProcessMemory method), 15

int8v() (malduck.procmem.procmem.ProcessMemory method), 15

intersects_range() (malduck.procmem.procmem.Region method), 19

IntType (class in malduck.ints), 43

IntTypeBase (class in malduck.ints), 44

invert_mask() (malduck.ints.MetaIntType property), 44

ip_v4() (in module malduck), 51

is32bit() (malduck.pe.PE property), 25

is64bit() (malduck.pe.PE property), 25

is_addr() (malduck.procmem.procmem.ProcessMemory method), 15

is_image_loaded_as_memdump() (malduck.procmem.procmemelf.ProcessMemoryELF method), 21

is_image_loaded_as_memdump() (malduck.procmem.procmempe.ProcessMemoryPE method), 20

is_imm() (malduck.disasm.Operand property), 24

is_mem() (malduck.disasm.Operand property), 24

is_reg() (malduck.disasm.Operand property), 24

is_valid() (malduck.procmem.procmemelf.ProcessMemoryELF method), 21

is_valid() (malduck.procmem.procmempe.ProcessMemoryPE method), 20

iter_regions() (malduck.procmem.procmem.ProcessMemory method), 15

last() (malduck.procmem.procmem.Region property), 19

last_offset() (malduck.procmem.procmem.Region property), 19

length() (malduck.procmem.procmem.ProcessMemory property), 15

log() (malduck.extractor.Extractor property), 7

lznt1() (in module malduck), 38

M

[malduck.bits \(module\)](#), 41
[malduck.compression \(module\)](#), 37
[malduck.crypto \(module\)](#), 29
[malduck.disasm \(module\)](#), 23
[malduck.extractor \(module\)](#), 3
[malduck.hash \(module\)](#), 39
[malduck.ints \(module\)](#), 43
[malduck.pe \(module\)](#), 25
[malduck.procmem \(module\)](#), 11
[malduck.string \(module\)](#), 47
[malduck.yara \(module\)](#), 27
[mask \(\) \(malduck.ints.MetaIntType property\)](#), 45
[match \(\) \(malduck.yara.Yara method\)](#), 28
[matched \(\) \(malduck.extractor.Extractor property\)](#), 7
[md5 \(\) \(in module malduck\)](#), 39
[mem \(\) \(malduck.disasm.Operand property\)](#), 24
[Memory \(class in malduck.disasm\)](#), 24
[MetaIntType \(class in malduck.ints\)](#), 44
[MultipliedIntTypeBase \(class in malduck.ints\)](#), 44

N

[needs_elf \(\) \(malduck.extractor.Extractor method\)](#), 6
[needs_pe \(\) \(malduck.extractor.Extractor method\)](#), 6
[nt_headers \(\) \(malduck.pe.PE property\)](#), 25

O

[on_error \(\) \(malduck.extractor.ExtractManager method\)](#), 8
[on_error \(\) \(malduck.extractor.Extractor method\)](#), 7
[on_error \(\) \(malduck.extractor.ExtractorModules method\)](#), 8
[on_extractor_error \(\) \(malduck.extractor.extract_manager.ProcmemExtractManager method\)](#), 9
[on_extractor_error \(\) \(malduck.extractor.ExtractManager method\)](#), 8
[op1 \(\) \(malduck.disasm.Instruction property\)](#), 24
[op2 \(\) \(malduck.disasm.Instruction property\)](#), 24
[op3 \(\) \(malduck.disasm.Instruction property\)](#), 24
[Operand \(class in malduck.disasm\)](#), 24
[optional_header \(\) \(malduck.pe.PE property\)](#), 25
[overrides \(malduck.extractor.Extractor attribute\)](#), 7

P

[p16 \(\) \(in module malduck\)](#), 50
[p2v \(\) \(malduck.procmem.procmem.ProcessMemory method\)](#), 15
[p2v \(\) \(malduck.procmem.procmem.Region method\)](#), 19
[p32 \(\) \(in module malduck\)](#), 50
[p64 \(\) \(in module malduck\)](#), 50

[p8 \(\) \(in module malduck\)](#), 50
[pack \(\) \(in module malduck.bigint\)](#), 50
[pack \(\) \(malduck.ints.IntType method\)](#), 44
[pack_be \(\) \(in module malduck.bigint\)](#), 51
[pack_be \(\) \(malduck.ints.IntType method\)](#), 44
[pad \(\) \(in module malduck\)](#), 48
[parent \(malduck.extractor.extract_manager.ProcmemExtractManager attribute\)](#), 9
[parse \(\) \(malduck.crypto.aes.PlaintextKeyBlob method\)](#), 35
[patchp \(\) \(malduck.procmem.procmem.ProcessMemory method\)](#), 15
[patchv \(\) \(malduck.procmem.procmem.ProcessMemory method\)](#), 16
[PE \(class in malduck.pe\)](#), 25
[pe \(\) \(malduck.procmem.procmempe.ProcessMemoryPE property\)](#), 20
[PlaintextKeyBlob \(class in malduck.crypto.aes\)](#), 35
[PrivateKeyBlob \(class in malduck.crypto.rsa\)](#), 35
[ProcessMemory \(class in malduck.procmem.procmem\)](#), 11
[ProcessMemoryELF \(class in malduck.procmem.procmemelf\)](#), 20
[ProcessMemoryPE \(class in malduck.procmem.procmempe\)](#), 20
[procmem \(in module malduck\)](#), 11
[procmemelf \(in module malduck\)](#), 20
[ProcmemExtractManager \(class in malduck.extractor.extract_manager\)](#), 9
[procmempe \(in module malduck\)](#), 20
[PublicKeyBlob \(class in malduck.crypto.rsa\)](#), 35
[push_config \(\) \(malduck.extractor.extract_manager.ProcmemExtractManager method\)](#), 9
[push_config \(\) \(malduck.extractor.Extractor method\)](#), 7
[push_file \(\) \(malduck.extractor.ExtractManager method\)](#), 8
[push_procmem \(\) \(malduck.extractor.extract_manager.ProcmemExtractManager method\)](#), 9
[push_procmem \(\) \(malduck.extractor.ExtractManager method\)](#), 8
[push_procmem \(\) \(malduck.extractor.Extractor method\)](#), 7

Q

[QWORD \(in module malduck\)](#), 45

R

[rabbit \(\) \(in module malduck\)](#), 33
[rc4 \(\) \(in module malduck\)](#), 33
[readp \(\) \(malduck.procmem.procmem.ProcessMemory method\)](#), 16

[readv\(\)](#) (*malduck.procmem.procmem.ProcessMemory method*), 16
[readv_regions\(\)](#) (*malduck.procmem.procmem.ProcessMemory method*), 17
[readv_until\(\)](#) (*malduck.procmem.procmem.ProcessMemory method*), 17
[reg\(\)](#) (*malduck.disasm.Operand property*), 24
[regex\(\)](#) (*malduck.procmem.procmem.ProcessMemory method*), 17
[regexv\(\)](#) (*malduck.procmem.procmem.ProcessMemory method*), 17
[Region](#) (*class in malduck.procmem.procmem*), 19
[resource\(\)](#) (*malduck.pe.PE method*), 25
[resources\(\)](#) (*malduck.pe.PE method*), 25
[rol\(\)](#) (*in module malduck.bits*), 41
[rol\(\)](#) (*malduck.ints.IntType method*), 44
[ror\(\)](#) (*in module malduck.bits*), 41
[ror\(\)](#) (*malduck.ints.IntType method*), 44
[RSA](#) (*class in malduck.crypto.rsa*), 34
[rsa](#) (*in module malduck*), 34
[rule\(\)](#) (*malduck.extractor.Extractor method*), 4
[rules\(\)](#) (*malduck.extractor.ExtractManager property*), 8

S

[scale\(\)](#) (*malduck.disasm.Memory property*), 24
[section\(\)](#) (*malduck.pe.PE method*), 25
[sections\(\)](#) (*malduck.pe.PE property*), 26
[sha1\(\)](#) (*in module malduck*), 39
[sha224\(\)](#) (*in module malduck*), 39
[sha256\(\)](#) (*in module malduck*), 39
[sha384\(\)](#) (*in module malduck*), 39
[sha512\(\)](#) (*in module malduck*), 39
[size\(\)](#) (*malduck.disasm.Memory property*), 24
[store\(\)](#) (*malduck.procmem.procmem.pe.ProcessMemoryPE2p method*), 20
[string\(\)](#) (*malduck.extractor.Extractor method*), 4
[structure\(\)](#) (*malduck.pe.PE method*), 26

T

[to_json\(\)](#) (*malduck.procmem.procmem.Region method*), 19
[trim_range\(\)](#) (*malduck.procmem.procmem.Region method*), 19

U

[u16\(\)](#) (*in module malduck*), 49
[u32\(\)](#) (*in module malduck*), 49
[u64\(\)](#) (*in module malduck*), 49
[u8\(\)](#) (*in module malduck*), 50
[UInt16](#) (*class in malduck.ints*), 45
[uint16\(\)](#) (*in module malduck*), 48
[uint16p\(\)](#) (*malduck.procmem.procmem.ProcessMemory method*), 18
[uint16v\(\)](#) (*malduck.procmem.procmem.ProcessMemory method*), 18
[UInt32](#) (*class in malduck.ints*), 45
[uint32\(\)](#) (*in module malduck*), 48
[uint32p\(\)](#) (*malduck.procmem.procmem.ProcessMemory method*), 18
[uint32v\(\)](#) (*malduck.procmem.procmem.ProcessMemory method*), 18
[UInt64](#) (*class in malduck.ints*), 45
[uint64\(\)](#) (*in module malduck*), 48
[uint64p\(\)](#) (*malduck.procmem.procmem.ProcessMemory method*), 18
[uint64v\(\)](#) (*malduck.procmem.procmem.ProcessMemory method*), 18
[UInt8](#) (*class in malduck.ints*), 45
[uint8\(\)](#) (*in module malduck*), 49
[uint8p\(\)](#) (*malduck.procmem.procmem.ProcessMemory method*), 18
[uint8v\(\)](#) (*malduck.procmem.procmem.ProcessMemory method*), 18
[uleb128\(\)](#) (*in module malduck*), 47
[unhex\(\)](#) (*in module malduck*), 47
[unpack\(\)](#) (*in module malduck.bigint*), 50
[unpack\(\)](#) (*malduck.ints.IntType class method*), 44
[unpack_be\(\)](#) (*in module malduck.bigint*), 50
[unpack_be\(\)](#) (*malduck.ints.IntType class method*), 44
[unpad\(\)](#) (*in module malduck*), 48
[utf16z\(\)](#) (*in module malduck*), 47
[utf16z\(\)](#) (*malduck.procmem.procmem.ProcessMemory method*), 18

V

[v2p\(\)](#) (*malduck.procmem.procmem.ProcessMemory method*), 18
[v2p\(\)](#) (*malduck.procmem.procmem.Region method*), 19
[validate_import_names\(\)](#) (*malduck.pe.PE method*), 26
[validate_padding\(\)](#) (*malduck.pe.PE method*), 26
[validate_resources\(\)](#) (*malduck.pe.PE method*), 26
[value\(\)](#) (*malduck.disasm.Operand property*), 24

W

[weak\(\)](#) (*malduck.extractor.Extractor method*), 6
[WORD](#) (*in module malduck*), 45

X

[xor\(\)](#) (*in module malduck*), 34

Y

[Yara](#) (*class in malduck.yara*), 27
[yara_rules](#) (*malduck.extractor.Extractor attribute*), 7

`YaraMatch` (*in module malduck.yara*), [28](#)
`YaraMatches` (*in module malduck.yara*), [28](#)
`yarap()` (*malduck.procmem.procmem.ProcessMemory*
method), [18](#)
`YaraString` (*class in malduck.yara*), [28](#)
`yarav()` (*malduck.procmem.procmem.ProcessMemory*
method), [19](#)